




														4	Heave [mm]										i ! !	PS-6TM	
															850			+									
						ļ									800												
											 	- 			750									 			
						 					 				700		 							 			
 	J					 									650									ļ			
 	<u> </u>					ļ						 	i 		600												
 					i 						 	 	i 		550												
 														 	500												
 													ļ 		450												
 													+		400												
					 								 		350		<u> </u>										
						ļ						ļ 	 		300		 										
													 		250												
						ļ						ļ 	ļ 		200		ļ						-	ļ		<u> </u>	
 	ļ										<u> </u>	ļ 	; ; ; ;		150							<u> </u>					
 						ļ					ļ 	ļ	 		100								-	ļ			
						ļ					ļ 	ļ			50												
OFC.	900	-750	700							350	-200	-150		FO	0 50 100 150	200	250 300	350	400	450	500	550	600	CEO ==	7.750	Surg	ge [mm]
-850	-800	·- / DIT ()	A CONTRACT N	LEEC	LC00	LEED FOO '	(EO : 401				·= ZCIL1	(5U) A		·- 111	1150			1251	120111111	- cr = 1.1	2-34 H. I	CONTRACT.	600	650 70	U /50	;ouu	ODU -
						-550 -500 -4						4	100	50													
											 	4			-50												
												4			-50 -100												
															-50 -100 -150												
															-100 -150 -200												
															-50 -100 -150												
															-100 -150 -200												
															-50 -100 -150 -200												
															-50 -100 -150 -200 -300												
															-50 -100 -150 -200 -300												
															-50 -100 -150 -200 -300 -300 -400												
															-50 -100 -150 -200 -250 -300 -400												
															-50 -100 -150 -200 -250 -300 -400 -450												
															-50 -100 -150 -200 -250 -300 -350 -400 -450 -500 -600												
															-50 -100 -150 -200 -250 -300 -350 -400 -450 -500 -600												
															-50 -100 -150 -200 -250 -300 -350 -400 -450 -500 -500												
															-50 -100 -150 -200 -250 -300 -350 -400 -450 -500 -550 -600 -750												
															-50 -100 -150 -200 -250 -300 -350 -400 -450 -550 -600 -700												





															Sway [mm] PS-6TM-1
 +		i	i										 		850
 		i								i 			ļ	 	800
		i					· ·			i T I I I			i 	 	750
 † 		 					- 			i + ! ! !		i 			700
 									 	i 				<u> </u>	650
 ; 		 								i ! ! ! ! ! !	 	i 			600
 i !							- 			i 		 	i 	<u> </u> 	550
		 					- - - -			i 		 	ļ	ļ	500
 							- 			i 				ļ 	450
 							. 			i 		 		ļ 	400
 							- - - - -		 	 	 	 	 	<u> </u>	350
 		 					- 		 	 	 	 	 	 	300
 i 							- -			i ! ! ! +	 	i 	 	 	250
 							- 		 	 		 	 	ļ 	200
 		 	<u> </u>				- -			 	 	 	i ! ! ! !	<u> </u> 	150
 							. 			i 					100
 ļ 							-			 					50
-850	-800	-750	700	650	600	-550 -500 -450	-400	250	-300	-250	-200	-150	100	F0	Surge [n
				į		-330 -300 -430						 	100	-30	50 100 130 200 230 300 330 400 430 300 330 000 030 700 730 800 830
 <u> </u> 								 	 	 		 		ļ	
 							 			! ! ! ! ! !		 	 	ļ 	-100
 							 			! ! ! ! ! ! !	 	 	 	 	
										! ! ! ! ! ! !				<u> </u>	-200
															-250
										i 					-300
										! ! ! ! !					-350
		 	 							 			 		-400
 ;	 			!_		;	i	;	I				÷	-i	
										; ; ; ; ; ; ;					-450
 										; ; ; ; ; ; ;			i 	<u> </u>	-500
							 	 		 		 			-450
															-450
															-500 -550 -600
															-500 -550 -600
															-500 -550 -600 -700
															-500 -550 -600 -700
															-500 -550 -600 -650 -700 -750 Motion Platform Work Envelope



															1	Heave [mm]										İ	PS-6TN	
						-									 	850					· 	†	 				- 	
								 						 	 	800						ļ	 					
			 					†						† ! !	 ! ! !	750				 			 !					
													 		 	700						 	 					
														 !	 !	650							 					
						-								 !		600						 	 !				 	
																550												
															 	500							 					
						-									 	450						 	 				·	
													 	 	 	400					 	 	 					
			 		·			ļ					 	 	 	350					ļ		 					
														 	 	300						 	 		 			¦
														 	 	250						 	 					<u> </u>
					·								 	 	; 	200						, 	; ; , , , , , ,				-	ļ
					·			; 						; ! ! !	; ; ; ; ; ; ;	150					ļ 	 	; - 		 		 	ļ
														<u> </u> 		100					ļ 	 	 					
													 			50					- - - - -	 	 					
	-850	-800	-750	-700 -	650 -6	600 -	550 -500 -450	-400	-350	-300	-250	-200	-150	-100	-50	0 50 100 150	200	250 300	350	400	450	500	550	600	650 70	0 750	Swa 800	850 mm]
								<u></u>								-50						i 	i 					
					·									 		-100					 		 					ļ
								ļ					 	ļ	 	-150					ļ 		<u> </u>		 			<u> </u>
								ļ 			į	. :		-	!	130 ; ;			ı		I			!	!!			<u> </u>
				į	:	-	' '	į i							 		-					i 	 				i	į.
																					 		 					ļ
		 												 		-250												
																-200 -250 -300							 					
j																-200 -250 -300												
																-200 -250 -300 -350												
																-200 -250 -300 -350 -400												
																-200 -250 -300 -400 -450												
																-200 -250 -300 -400 -450 -500												
																-200 -250 -300 -350 -400 -450 -500 -600												
																-200 -250 -300 -350 -400 -450 -500 -600												
																-200 -250 -300 -350 -400 -450 -500 -600 -650												
																-200 -250 -300 -350 -400 -450 -500 -600												
																-200 -250 -300 -350 -400 -450 -500 -600 -650 -700												

